


# **TOOLTAPE**

# Uncured Non-Silicone Tooling Rubber Tape


# Features:

- TOOLTAPE is a non-silicone uncured modified butyl rubber that can be formed into complex shapes to provide an even distribution of pressure on assemblies where high quality surface is needed.
- Ideal for use when standard bagging procedures cannot prevent difficult bridging conditions.
- Cured in an oven or autoclave at 250°F (120°C) to 350°F (176°C). Maximum use temperature is 400° (204°C).
- Requires a release film between TOOLTAPE and assembly to be cured.
- TOOLTAPE is not reusable once cured and can be used as pads for tooling pins, sharp edges, etc.

# Application:



Apply one or more rolled strips of TOOLTAPE in corner radius on top of release film layer. Apply one or more strips of TOOLTAPE on rolled strips to form a fillet during cure. Apply top layer of release over TOOLTAPE lay-up. Complete vacuum bagging operation. TOOLTAPE will form during cure to prevent ply wrinkling and excessive resin buildup in locations applied.



## **Availability:**

1/8" x 1/2" x 25' (40 rolls per case), 1" x 1/8" x 30' (20 rolls per case) MOQ: 1 CASE

### Storage:

- Store in a cool dry place in original packaging and protect from the environment. Do not store on end, keep flat.
- Shelf Life: 12 months from DOM when stored at or below 80°F (27°C). (Note: Do not refrigerate or freeze).

### Health & Safety:

• Handling of these products must conform to individual company guidelines and health and safety regulations.

#### Technology Marketing, Inc.

P: 801.265.0111 • F: 801.265.0184 6122 Stratler Street • Salt Lake City, UT 84107 USA • customerservice@tmi-slc.com • www.tmi-slc.com

#### ISO 9001:2015 & AS9120B Certified

Note: Data provided is for information only and does not constitute any warranty for the product as the conditions and varying methods of use are beyond our control, Technology Marketing Inc. shall not be liable for any special indirect, incidental, or consequential damages, including without limitation, lost revenues or lost profits, which may result from the use or inability to use these materials. These materials are provided "as is" without warranty of any kind, either expressed or implied including, but not limited to the implied warranties of merchantability or fitness for a particular purpose

Form Rev.A Rev. 03/24/2020